| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|------|---|---|---------------------|---------|------------------|
| S1 | 1032 | 713 /193.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/06/15 18:55 |
| S2 | 0 | 713/193.ccls. and bastion | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/06/15 19:08 |
| S3 | 58 | bastion adj host | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/06/15 19:09 |
| S4 | 19 | S3 and (one adj time adj password) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/06/15 19:09 |
| S5 | 19 | S3 and (one adj time adj password) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/15 19:09 |
| S6 | 17 | S5 and (SSL) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/15 19:09 |
| S7 | 17 | S6 and (router gateway firewall) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/15 19:11 |
| S8 | 17 | S6 and (router gateway firewall) and (encrypt\$5 adj key) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/15 19:15 |

| | | | | | 1 | |
|-----|-----|--|---|----|----|------------------|
| S9 | 0 | S8 and (URL with modif\$6 with chang\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/15 19:16 |
| S10 | 1 | S8 and (URL with (modif\$6 chang\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/15 19:16 |
| S11 | 6 | ((screening adj router) (proxy) (gateway) (bastion) (firewall)) same (one adj time adj password) and (network adj security).ti. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/15 19:23 |
| S12 | 69 | ((screening adj router) (proxy) (gateway) (bastion) (firewall)) same (one adj time adj password) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/15 19:22 |
| S13 | 55 | ((screening adj router) (proxy) (gateway) (bastion) (firewall)) same (one adj time adj password) and (network with security) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/15 19:22 |
| S14 | 7 | ((screening adj router) (proxy) (gateway) (bastion) (firewall)) same (one adj time adj password) and (network with security).ab. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/15 19:22 |
| S15 | | ((screening adj router) (proxy) (gateway) (bastion) (firewall)) same (password) and (network adj security).ti. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/16 11:39 |
| S16 | 204 | ((screening adj router) (proxy) (gateway) (bastion) (firewall)) same (password) and (URL with (block\$3 translat\$3 verification verif\$3 modify modification modified)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/16 11:43 |

| | | | T | r | 1 | |
|-----|-----|--|---|------|-----|------------------|
| S17 | 204 | ((screening adj router) (proxy) (gateway) (bastion) (firewall)) same (password) and (URL with (block\$3 translat\$3 verification verif\$3 modify modification modified)) and @py<"20010401" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/16 11:43 |
| S18 | 204 | ((screening adj router) (proxy) (gateway) (bastion) (firewall)) same (password) and (URL with (block\$3 translat\$3 verification verif\$3 modify modification modified)) and @py<="20010401" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/16 11:44 |
| S19 | 2 | ((screening adj router) (proxy) (gateway) (bastion) (firewall)) same (password) and (URL with (block\$3 translat\$3 verification verif\$3 modify modification modified)) and @py<="20010401" and (password with (CD disc disk "smart card" dvd)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR . | ON | 2005/06/16 11:45 |
| S20 | 121 | ((screening adj router) (proxy) (gateway) (bastion) (firewall)) same (password) and (URL near3 (block\$3 translat\$3 verification verif\$3 modify modification modified)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/16 14:55 |
| S21 | 482 | 713 /153.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/06/21 11:41 |
| S22 | 0 | S21 and (password\$2 with store with (disk disc)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/06/21 11:41 |
| S23 | 0 | S21 and (password\$2 with stor\$3 with (disk disc)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/06/21 11:42 |
| S24 | 4 | S21 and (password\$2 with (disk disc)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/06/21 11:43 |

| | | | | | | <u> </u> |
|-----|-----|---|---|----|-------|-----------------------|
| S25 | 16 | S21 and (password\$2 with (card\$2)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/06/21 19:14 |
| S26 | 352 | encrypt near2 password\$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/06/21 19:14 |
| S27 | 32 | S26 same decrypt near2 password | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF . | 2005/06/21 19:16 · |
| S28 | 3 | S27 and (one adj time adj password) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/06/21 19:15 |
| S29 | 257 | bastion\$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/14 16:55 |
| S30 | 120 | user with generat\$4 with (one adj time) near2 password\$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/14 16:56 |
| S31 | 11 | S29 and S30 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON . | 2006/05/14 16:57 |
| S32 | 42 | S30 and (gateway\$2) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/14 16:58 |

| | | <u> </u> | T | T | | |
|-----|-------|---|---|----|----|------------------|
| S33 | 14 | S30 and (gateway\$2) and ((key password) with pair) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/14 17:01 |
| S34 | 87582 | (gateway firewall bastion dmz) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/14 17:03 |
| S35 | 69694 | (smart adj card) (IC adj card) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/14 17:04 |
| S36 | 358 | (key with password with pair\$2) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/14 17:04 |
| S37 | 109 | (key with password with pair\$2) and S34 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/14 17:04 |
| S38 | 6 | (key with password with pair\$2) same S34 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/14 17:08 |
| S39 | 0 | SSL with (bastion adj host\$2) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/14 17:09 |
| S40 | 200 | 726 /12.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/14 17:09 |

| | | | | | | |
|-----|-----|--|---|------|----|------------------|
| S41 | 211 | 726/13.c cls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/14 17:09 |
| S42 | 403 | 726 /12,13.ccis. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/14 17:10 |
| S43 | 36 | 726 /12,13.ccls. and (remote with authenticat\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/14 17:31 |
| S44 | 403 | 726 /12,13.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/14 17:31 |
| S45 | 4 | 726/12,13.ccls. and (one adj time) near2 password\$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/14 17:36 |
| S46 | 1 | 726/12,13.ccls. and (one adj time) near2 password\$2 and (smart adj card) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/14 17:36 |
| S47 | 1 | 726/12,13.ccls. and (one adj time) near2 password\$2 and (smart adj card) and (index) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR . | ON | 2006/05/14 17:40 |
| S48 | 0 | 726/12,13.ccls. and (one adj time) near2 password\$2 and (smart adj card) and (index) and (URL with modif\$) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/14 17:40 |

| r | | | 1 | 1 | | |
|-----|-------------|---|---|----|----|------------------|
| S49 | 1 | 726/12,13.ccls. and (one adj time) near2 password\$2 and (smart adj card) and (index) and (URL) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/14 17:41 |
| S50 | 283 | (one adj time) near2 password\$2 and (smart adj card) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/14 17:42 |
| S51 | 56 | (one adj time) near2 password\$2 with(smart adj card) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/14 17:54 |
| S52 | 4006 | authenticat\$4 with (gateway\$2 firewall bastion) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/14 17:54 |
| S53 | 776 | authenticat\$4 with (gateway\$2 firewall bastion) and ((key password) with (pair)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/14 17:55 |
| S54 | 48 | authenticat\$4 with (gateway\$2 firewall bastion) same ((key password) with (pair)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/14 18:12 |
| S55 | 26 | (provid\$4 with PIN with user\$2 with remote) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/14 18:31 |
| S56 | 2 | (index with table) with (one adj time) with password\$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/14 18:32 |

| | · | | | 1 | | |
|-----|----|---|---|----|----|------------------|
| S57 | 48 | (index with table) with password\$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/14 18:32 |
| S58 | 2 | (index with table) with password\$2 same (index adj number) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/14 18:33 |
| S59 | 0 | retreiv\$2 with password\$2 with (index adj number) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/14 18:33 |
| S60 | 0 | retriev\$2 with password\$2 with (index adj number) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/14 18:33 |
| S61 | 4 | password\$2 with (index adj number) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/14 18:35 |
| S62 | 75 | (index adj number) with key\$2 with table | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/14 18:35 |
| S63 | 1 | (index adj number) with key\$2 with table with (retriev\$2 near2 key) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/14 18:36 |
| S64 | 75 | (index adj number) with key\$2 with table | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/14 18:41 |

| S65 | 129 | encrypt\$4 with password\$2 with (smart adj card) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/14 18:45 |
|-----|-----|---|---|------|----|------------------|
| S66 | 251 | (index with (select\$2) with (password key) with table\$2) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR . | ON | 2006/05/14 18:46 |
| S67 | 97 | (index with (select\$2) near3 (password key) with table\$2) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/14 18:46 |
| S68 | 97 | (index with (select\$2) near3 (password key) with table\$2) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/14 18:46 |
| S69 | 10 | stor\$3 with (one-time adj password) with (disc disk (smart adj card) token) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/29 21:42 |
| S70 | 253 | (one-time adj password) with (disc disk (smart adj card) token) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/29 17:54 |
| S71 | 0 | (one-time adj password) with (disc disk (smart adj card) token) same (bastion) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/29 17:54 |
| S72 | 2 | (one-time adj password) with (disc disk (smart adj card) token) same (bastion gateway\$2) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/29 18:05 |

| | | 1 | | , | | · |
|-----|------|---|---|--------------|-----|------------------|
| S73 | 9 | (one-time adj password) with (disc disk (smart adj card) token) same (bastion gateway\$ firewall) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/29 17:55 |
| S74 | 1 | SSL with gateway with (remote adj (user device)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/29 21:45 |
| S75 | 54 | SSL with (remote adj (user device)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/29 21:45 |
| S76 | 1565 | 713 /193.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/11/15 17:33 |
| S77 | 673 | 713 /153.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/11/15 17:58 |
| S78 | 4217 | ((screening adj router) (proxy) (gateway) (bastion) (firewall)) same (password) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/15 18:33 |
| S79 | 1701 | ((screening adj router) (proxy) (gateway) (bastion) (firewall)) same (password) same (authenticat\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/15 18:43 |
| S80 | 2 | "6167 513".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/15 18:43 |

| | | Y | | | | <u></u> |
|-----|------|---|---|------|-----|------------------|
| S81 | 522 | 726 /12,13.ccis. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/15 19:10 |
| 582 | 281 | (one-time adj password) with (disc disk (smart adj card) token) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR . | ON | 2006/11/15 19:11 |
| S83 | 522 | 726 /12 ,1 3.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/22 15:33 |
| S84 | 1571 | 713 /193.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/11/22 15:34 |
| S85 | . 6 | 726 /12,13.ccls. and (one adj time) near2 password\$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/22 15:35 |
| S86 | 206 | protect\$4 with area with ((portable near3 device) (smart adj card) token\$2) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR . | ON | 2006/11/22 15:35 |
| S87 | 373 | (inaccessible secur3 protect\$4) with (section region area) with ((portable near3 device) (smart adj card) token\$2) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/22 15:36 |